



CERTIFICATE OF ANALYSIS

Catalog No: M-8140-03
Description: Chlorpyrifos
Lot: 217101438
Solvent: Hexane
Hazards: Refer to SDS for complete safety information

Date Certified: Oct 31, 2017
Expiration: Oct 31, 2020
Sample Size: 1 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Included on ISO/IEC 17025 Scope of Accreditation: Yes
Included on ISO Guide 34 Scope of Accreditation: Yes



Signal Word: Danger

Component	CAS #	Purity % (GC/MS)	Prepared Concentration ¹ (µg/mL)	Certified Analyte Concentration ² (µg/mL)
Chlorpyrifos	2921-88-2	99.9	1007	1006

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

¹ All weights are traceable through NIST, Test No. 822-275872-11

² Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

See reverse side for additional information

Certified By:

Larry Decker Organic QC Manager

CERTIFICATION REPORT

1. **Quality Documentation:** This certificate is designed in accordance with ISO Guide 31 (Reference Materials - Contents of Certificates and Labels) and ISO Guide 35 (Reference Materials – General and Statistical Principles for Certification).

2. **Quality Standards:**

ISO Guide 34 - General Requirements for the Competence of Reference Material Producers ANAB Certificate Number AR-1463



ISO/IEC 17025 - General Requirements for the Competence of Testing and Calibration Laboratories ANAB Certificate Number AT-1339



ISO 9001:2015 - Quality Management System - Requirements Eagle Registrations Certificate Number 3774

3. **Intended Use:** The product covered by this certificate is designed for calibration or for use in quality control procedures for the specified chemical compounds listed on the reverse side. This product can be used for quantification and/or identification. This product can also be used as a reference material to validate analytical procedures, subject to the conditions under Section 11. If dilution is required, use only Class A glassware and diluent compatible with all certified analytes in this preparation. All solutions should be thoroughly mixed prior to use.
4. **Raw Materials:** Reference standards are prepared from the highest quality starting materials with defined purities. All analytes and solvents are obtained from pre-qualified vendors and then analyzed or evaluated prior to use.
5. **Manufacturing:** All balances are calibrated daily using an in-house procedure with weights that are compared annually to master weights and traceable to NIST. The balances are also calibrated annually by an ISO/IEC 17025 accredited calibration laboratory. Please refer to the NIST test number listed on the front of this certificate. Class A glassware is used in the manufacture and quality control of all standards and calibrated using an in-house procedure. Good Laboratory Practices have been used throughout the preparation of this CRM.
6. **Homogeneity Assessment:** Homogeneity of the finished product is assessed by analyzing sample batches or by other methods consistent with the intended use of the product and by procedures that comply with the appropriate Quality System requirements, and ISO Guide 35. This product is sufficiently homogeneous and any sample size would be within the uncertainty budget.
7. **Stability Assessment:** The manufacturer guarantees the stability of this solution through the expiration date stated on the label, when handled and stored according to the conditions stated on the label. To ensure a uniform solution, mix the contents of the sealed container thoroughly prior to use. Care should be taken not to contaminate the contents of the original container.
8. **Analytical Quality Control:** Products are tested by validated analytical methods specified in the manufacturer's quality system.
9. **Uncertainty Statistics and Confidence Limits:** The uncertainty values as stated on the face of this certificate have been determined using the EURACHEM/CITAC Guide. We report a combined expanded uncertainty equal to the positive square root of the total variance of the uncertainty of the components using the following formula:
$$u_m = \sqrt{(u(P))^2 + (u(m))^2 + (u(V))^2}$$
The expanded uncertainty, U_{CRM} assumes a normal distribution and a coverage factor of $k=2$ is chosen using approximately a 95% confidence level. The U_{CRM} is $\pm 2.4\%$.
10. **Warranties:** The manufacturer warrants that its products shall conform to the description of such products as provided in its catalog or on the specific product label. This warranty is exclusive, and the manufacturer makes no other warranty, express or implied, including any implied warranty of merchantability or fitness for any particular purpose.
11. **Legal Notice and Limit of Liability:** This product is for routine laboratory analysis and research purposes only. Due to the hazardous nature, only trained personnel should handle this product. The company's liability will be limited to replacement of product or refund of purchase price. Notice of claims must be made within thirty (30) days from date of delivery.



AccuStandard, Inc.
125 Market St., New Haven, CT 06513 USA
Tel: 203-786-5290 Fax: 203-786-5287



Distributed By:
J&K Scientific Ltd.
+ 86 10 82848833
+ 86 10 82842121
|info@jkchemical.com

材料安全数据表

第1部分 - 化学品及企业标识

1.1 - 产品标识符

目录名称: M-8140-03
描述: Chlorpyrifos in Hexane

1.2 - 有关的确定了物质或混合物的用途

实验室化学参考物质

1.3 - 提供者的详情

公司: AccuStandard, Inc.
125 Market St.
New Haven, CT 06513 USA
电话号码: 203-786-5290
传真: 203-786-5287
电子邮箱地址: edocs@accustandard.com
1.4 - 应急咨询电话
紧急联系电话: AccuStandard, Inc.
1-203-502-7070 (USA)
+001-203-502-7070 (International)
24 hours / 7 days a week

第2部分 - 危险性概述

2.1 - GHS标签要素



信号词: 危险
危险代码:

H225 - 高度易燃。(易燃液体, 类别2)
H302 - 吞食有害。(急性毒性, 经口, 类别4)
H304 - 吞食和进入呼吸道可能致命。(吸入性危害, 类别1)
H315 - 会刺激皮肤。(皮肤腐蚀/刺激, 类别2)
H332 - 吸入有害。(急性毒性, 吸入, 类别4)
H335 - 可能刺激粘膜和上呼吸道。(特定靶器官毒性, 单次接触; 呼吸道刺激, 类别3)
H336 - 可能会导致头晕, 恶心, 共济失调或麻醉。(特定靶器官毒性, 单次接触; 麻醉效应, 类别3)
H361 - 怀疑对生育能力造成损害。(生殖毒性, 类别2)



2	HEALTH
3	FLAMMABILITY
0	PHYSICAL HAZARD

AccuStandard, Inc.

材料安全数据表

产品编号: 203-786-5290

第2部分 - 危险性概述 - 继续

2.1 - GHS标签要素 - 继续

预防守则:

P202 - 该产品只能由经过危险化学品安全处理培训的人员使用
P233 - 储存在密闭的容器内
P262 - 不要进入眼睛, 皮肤或衣服上
P264 - 处理后彻底清洗。请勿内服。眼睛清洗和安全设备应随时可用。(P264)
P280 - 必须戴防护手套以防止皮肤接触。(P280)
P284 - 呼吸系统防护: 如果工作场所超出了产品或其它任何成分的接触限值(见TLV/PEL), 或风险评估表明应当使用空气净化呼吸器, 建议使用NIOSH/MSHA认证的空气供应呼吸器。在没有适当的控制的情况下, 请使用带有多功能组合(美国)或ABEK(EN14387)呼吸器盒的全面罩式呼吸器。始终使用经过合适的政府标准进行测试和批准的呼吸器和组件, 如NIOSH(美国)或CEN(欧洲)。应实施工程和/或行政管理以减少暴露。
P331 - 食入: 不要诱发呕吐。立即呼叫医生或毒物控制中心。切勿失去知觉者从嘴里喂食任何东西。(P331)
P338 - 眼睛接触: 立即用大量水冲洗。在首次冲洗后,
P352 - 皮肤接触: 用肥皂和水彻底清洗。如果刺激性加强或持续存在, 就医。

2.2 - 其它危害

2.2.1 - 健康/环境接触后的征兆和症状

高度易燃。(易燃液体, 类别2)
吞咽和进入呼吸道可能致命。(吸入性危害, 类别1)
可能会导致头晕, 恶心, 共济失调或麻醉。(特定靶器官毒性, 单次接触; 麻醉效应, 类别3)
怀疑对生育能力造成损害。(生殖毒性, 类别2)

2.2.2 - 潜在的健康影响

对眼睛有刺激。

会刺激皮肤。(皮肤腐蚀/刺激, 类别2)

经皮肤吸收后对身体有害。(急性毒性, 经皮, 类别5)

可能刺激粘膜和上呼吸道。(特定靶器官毒性, 单次接触; 呼吸道刺激, 类别3)

吸入有害。(急性毒性, 吸入, 类别4)

吞食有害。(急性毒性, 经口, 类别4)

2.2.3 - 入境路线

吸入, 吞食或皮肤接触。

2.2.4 - 致癌性

该产品是或含有未被列为 (ACGIH, IARC, NTP, OSHA) 致癌剂的组分。

第3部分 - 成分/组成信息

描述: Chlorpyrifos in Hexane

别名: N/A

分子量: N/A

分子式: N/A

分析	CAS #	%浓度	ACGIH-TLV (mg/m ³)		OSHA-PEL (mg/m ³)	
			TWA	STEL	TWA	STEL
Chlorpyrifos	2921-88-2	0.100	0.1		X	

第3部分 - 成分/组成信息 - 继续

分析	CAS #	% 浓度	ACGIH - TLV (mg/m³)		OSHA - PEL (mg/m³)	
			TWA	STEL	TWA	STEL
Hexane	110-54-3	99.900			180	

第4部分 - 急救措施

4.1 - 急救措施 - 一般的建议

对于过度暴露的所有情况实施医疗救助

4.2 - 眼睛接触

眼睛接触: 立即用大量水冲洗。在首次冲洗后,

4.3 - 皮肤接触

皮肤接触: 用肥皂和水彻底清洗。如果刺激性加强或持续存在, 就医。

4.4 - 吸入

吸入: 移至新鲜空气处。如呼吸停止, 请经过培训的人员对其实施进行人工呼吸或给予氧气。立即就医。

4.5 - 食入

食入: 不要诱发呕吐。立即呼叫医生或毒物控制中心。切勿给失去知觉者从嘴里喂食任何东西。(P331)

第5部分 - 消防措施

5.1 - 易燃性

火灾及爆炸危险

蒸汽可以扩散到点火源并闪回

火灾中, 热分解或燃烧可能会产生刺激性和高毒性气体

5.2 - 灭火介质

对该材料使用乙醇泡沫, 二氧化碳, 干粉或水喷雾灭火

喷水以冷却着火容器并且疏散蒸汽

5.3 - 消防员保护

在火灾中, 佩戴自给式呼吸器, MSHA / NIOSH (批准或等效) 及全面保护装备。

第6部分 - 泄漏应急处置

6.1 - 泄漏应急

穿戴适当控制/个人防护所列的合适的防护设备。消除任何点火源, 直到该区域被确定为没有爆炸或火灾危险。如果发现有危险, 收集泄漏物并消除其来源。处置危险废物。遵守联邦, 州和地方法规。

第7部分 - 操作处置与储存

储存在密闭的容器内

储存在阴凉处, 远离火源和氧化剂

避免吸入蒸汽或雾。

使用材料充分通风

不要进入眼睛, 皮肤或衣服上

避免长时间或多次暴露

第7部分 - 操作处置与储存 - 继续

该产品只能由经过危险化学品安全处理培训的人员使用

第8部分 - 接触控制和个体防护

8.1 - 技术控制/个体防护

处理后彻底清洗。请勿内服。眼睛清洗和安全设备应随时可用。(P264)

8.2 - 一般卫生注意事项

呼吸系统防护: 如果工作场所超出了产品或其它任何成分的接触限值 (见TLV / PEL), 或风险评估表明应当使用空气净化呼吸器, 建议使用NIOSH / MSHA认证的空气供应呼吸器。在没有适当的环境控制的情况下, 请使用带有多功能组合 (美国) 或ABEK (EN14387) 呼吸器盖盒的全面罩式呼吸器。始终使用经过合适的政府标准进行测试和批准的呼吸器和组件, 如NIOSH (美国) 或CEN (欧盟)。

材料必须在经过认证的通风橱中或等效的通风口处进行处理或转移。

必须戴防护手套以防止皮肤接触。(P280)

(肺或等同物)

使用经过NIOSH (US) 或EN 166 (EU) 等适当政府标准测试和批准的呼吸防护。

所有建议仅供参考, 必须由熟悉预期用途具体情况的工业卫生和/或安全主管部门进行评估, 例如工作场所物质的浓度和数量。任何建议不应被解释为对产品的任何特定用途提供的批准。

第9部分 - 理化特性

外观: Clear liquid

气味: Characteristic odor

气味阈值: N/A

pH: N/A

熔点: -95 °C (-139 °F)

沸点: 68 - 70 °C

闪点: -14.8 °F (-26 °C) (cc)

蒸发速率 (乙酸丁酯=1): 9.0

燃烧等级: N/A

燃烧下限: 1.2

燃烧上限: 7.7

蒸汽压: 125 mmHg (20 °C)

蒸汽密度 (空气=1): 3.0 g/L

比重: 0.660 g/cm3

水溶性: Insoluble

分配系数: log Pow: 3.90-4.11

自燃温度: 234 °C

分解温度: N/A

粘度: N/A

挥发性有机化合物含量: N/A

挥发百分比: 99+

第10部分 - 稳定性和反应活性

稳定性: Stable
不相容的物质: Oxidizers
危险的分解产物: Carbon oxides
聚合危险性: Will not occur
应避免的条件: Heat; Contact with ignition sources

第11部分 - 毒理学资料

人类健康毒性
此产品所含组分的具体毒理学信息, 请参考第2部分。
LD50 (经口): Rat - 4300 mg/kg
LD50 (经皮): Rabbit - 1700 mg/kg
LC50 (吸入): Rat - 22 mg/L
吞咽和进入呼吸道可能致命。(吸入性危害, 类别1)
目前没有与本品有毒理学相关的其他信息

第12部分 - 生态学资料

环境毒性
根据第6.7部分, 此产品不当释放到环境中
LC50 (鱼): 2.5 mg/L 96H
EC50 (水生无脊椎动物): >100 mg/L 48H
BCF: N/A
目前还没有与本产品的生态特性有关的其他信息。

第13部分 - 废弃处置

在EPA批准的设施中循环或焚烧, 或按照联邦, 州和当地法规进行处置。处理前必须对空容器进行三次冲洗。

第14部分 - 运输信息

运输信息 (DOT/IATA)
联合国编号: UN1208
运输危险类别: 3
包装组: II
适当的运输名称: Hexanes
吸入毒性: No
海洋污染物: No

第15部分 - 法规信息

并非所有成分都在TSCA清单中。
仅用于实验室, 研发使用, 不作为生产或商业用途。
除联邦和州法规外, 地方性法规也适用。请与您的地方监管部门确认。

第16部分 - 其他信息

ANSI, GHS和CHIP法规, 使用全球化学品统一分类和标签制度对化学品进行分类, 此处所做的标识基于我们认为是最好的技术数据, 仅用于信息目的。生产商对这些信息的准确性和完整性不承担任何责任。请仔细阅读产品的安全数据表, 并遵守所有适用的法规。尽管此处对化学品的描述了一定的危险性, 但是使用者应当认为这是化学品的唯一危险性, 因为使用的环境和方式不是制造商能够控制的。

对其适用性不做任何明示或暗示的保证, 并且对使用的结果不承担任何责任。
注释: N/A = 不适用 ND = 未确定 NR = 未规定 ACGIH = 美国政府工业卫生学家会议 IARC = 国际癌症研究机构 NTP = 国家毒理学计划 OSHA = 职业安全与健康管理局, 严格禁止在未获制造商书面许可的情况下对此处所查信息进行更改。

HMIS/NEPA危险指数

- 0 - 最小
 - 1 - 轻微
 - 2 - 中等
 - 3 - 严重
 - 4 - 严重
- * - 附加危害

GHS危险指数

- 类别 1 - 最严重, 类别5 - 最不严重
- ****结束****